L Number	Hits	Search Text	DB	Time stamp
- Namper	48	(dns (domain adj name adj (server	USPAT;	2002/10/02
		system)) (domain near3 nam\$4)) and	EPO; JPO;	16:55
		((address\$4 near10 conver\$6) adj10 nam\$4)	DERWENT;	20.00
	:		IBM_TDB	
-	104	(dns (domain adj name adj (server	USPAT;	2002/10/02
		system))) and (((configuration address\$4	EPO; JPO;	16:42
		rout\$4) near4 table) same (sourc\$4 near10	DERWENT;	
_	57	address\$4)) (dns (domain adj name adj system)) and	IBM_TDB	0000/10/00
	3/	(((address\$4) near4 table) same	USPAT; EPO; JPO;	2002/10/02
		(sourc\$4 near10 address\$4))	DERWENT;	16:43
		(554254 - 1154225 44425554 1/)	IBM TDB	
_	15	x.121 and ((stor\$4 sav\$4) same address\$4)	USPAT;	2002/10/03
		and ((configuration address\$4 rout\$4)	EPO; JPO;	08:43
		near4 table)	DERWENT;	
			IBM_TDB	
-	11	x.121 and ((stor\$4 sav\$4) same address\$4)	USPAT;	2002/10/03
		and ((configuration address\$4 rout\$4)	EPO; JPO;	09:04
		near4 table) and nam\$4	DERWENT;	
_	5	x.121 and (nam\$4 same (stor\$4 sav\$4) same	IBM_TDB USPAT;	2002/10/02
		address\$4) and ((configuration address\$4	EPO; JPO;	2002/10/03 08:46
		rout\$4) near4 table)	DERWENT;	00.30
		, ,,	IBM TDB	
_	. 6	(x.121 and ((stor\$4 sav\$4) same	USPAT;	2002/10/03
		address\$4) and ((configuration address\$4	EPO; JPO;	09:04
	•	rout\$4) near4 table) and nam\$4) not	DERWENT;	
		(x.121 and (nam\$4 same (stor\$4 sav\$4)	IBM_TDB	
	1	same address\$4) and ((configuration		
	9	address\$4 rout\$4) near4 table))		0000 (10 (00
-	9	(address\$4 and wildcard) and ((mac (media adj access adj control)) near10	USPAT; EPO; JPO;	2002/10/03 09:49
		address\$4) and ((nam\$4 address\$4) same	DERWENT;	09:49
		(stor\$4 sav\$4) same table)	IBM TDB	
_	91	((mac (media adj access adj control))	USPAT;	2002/10/03
		near10 address\$4) and ((nam\$4) same	EPO; JPO;	09:49
		(stor\$4 sav\$4) same table)	DERWENT;	
			IBM_TDB	
_	8	' '	USPAT;	2002/10/03
		(database and (mib (management adj	EPO; JPO;	10:38
		information adj base))) and (nam\$4 same	DERWENT;	
	1	address\$4 same (sav\$4 stor\$4) same (database table))	IBM_TDB	
-	144	map\$5 adj7 address\$4 adj7 nam\$4	USPAT;	2002/10/03
		2,	EPO; JPO;	10:47
		·	DERWENT;	
	1		IBM_TDB	
_	8	(map\$5 adj7 address\$4 adj7 nam\$4) and	USPĀT;	2002/10/03
	1	(mib (management adj informaiotn adj	EPO; JPO;	10:47
	1	base))	DERWENT;	
_	37	 (dns (domain adj name adj (server	IBM_TDB	2002/10/02
	3'	(dns (domain ad) name ad) (server system))) and (configuration near4 table)	USPAT; EPO; JPO;	2002/10/03
		and (sourc\$4 near10 address\$4)	DERWENT;	11:40
	1	Tours Tour	IBM TDB	
-	198	((mac (media adj access adj control))	USPAT;	2002/10/03
	1	near10 address\$4) and ((((stor\$4 sav\$4)	EPO; JPO;	11:56
		same (source near4 address\$4))) same	DERWENT;	
		(table database))	IBM_TDB	
-	25	((mac (media adj access adj control))	USPAT;	2002/10/03
		near10 address\$4) and ((((stor\$4 sav\$4)	EPO; JPO;	13:03
	1	same (source near4 address\$4))) same (table database)) and (database and (mib	DERWENT;	
		(management adj informaiotn adj base)))	IBM_TDB	
_	5	((mac (media adj access adj control))	USPAT;	2002/10/03
	l	near10 address\$4) and (((stor\$4 sav\$4)	EPO; JPO;	13:37
		same (source near4 address\$4))) same	DERWENT;	
		(table database)) and (database and (mib	IBM_TDB	
		(management adj informaiotn adj base)))	_	
	I .	and (address\$4 near10 pool\$4)	I	1

Search History 2/11/04 8:48:43 AM

_	20	<pre>((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) and ((source adj4 address\$4) same (stor\$4 sav\$4) same table)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 14:20
-	15		USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/03 16:19
_	178	<pre>(dns (domain adj name adj (server system))) and ((stor\$4 adj6 forward) store-and-forward\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/03 16:20
_	17	<pre>((((dns (domain adj name adj (server system))) and ((stor\$4 adj6 forward) store-and-forward\$4)) and (rout\$4 near7 table)) and (rout\$4 near6 table) and (group\$4 same address\$4) and (dns (domain adj name adj (server system)))) and ((rout\$4 near10 table) same (stor\$4 sav\$4))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 16:22
-	317	<pre>(address\$4 near7 (portion\$4 position\$4 section\$4)) and (first near6 (portion\$4 position\$4 section\$4 part)) and (second near6 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near7 address\$4 near7 (portion\$4 position\$4 section\$4 part)) and ((sav\$4 stor\$4) near6 address\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 09:26
	4	((address\$4 near7 (portion\$4 position\$4 section\$4)) and (first near6 (portion\$4 position\$4 section\$4 part)) and (second near6 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near7 address\$4 near7 ((first second) near5 (portion\$4 position\$4 section\$4 part))) and ((sav\$4 stor\$4) near6 address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21
-	121	((address\$4 near11 (portion\$4 position\$4 section\$4)) and (first near8 (portion\$4 position\$4 section\$4 position\$4 section\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 12:55
-	140	<pre>((left right first second) same (portion\$4 position\$4 section\$4 part) same (replac\$4 substitu\$6 exchang\$5 (in adj place)) same (ip mac address\$4)) and ((ip mac) near5 address\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 13:21
-	3	<pre>(address\$4 near11 wildcard\$4) same (replac\$4 substitu\$6 exchang\$5)</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/02/21 14:53
-	2	<pre>(address\$4 near11 (wildcard\$4 (wild adj card\$4))) same (replac\$4 substitu\$6 exchang\$5) and (wildcard\$4 (wild adj card\$4)) and ((ip mac) near5 address\$4) and (rout\$5 near11 (tabl\$4 databas\$4))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 15:42
-	3	(address\$4 near11 (wildcard\$4 (wild adj card\$4))) same (replac\$4 substitu\$6 exchang\$5) and (wildcard\$4 (wild adj card\$4)) and ((ip mac) near5 address\$4) and (select\$7 same (wildcard\$4 (wild adj card\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27
-	105		USPAT; EPO; JPO; DERWENT; IBM TDB	2003/07/27 14:05

-	21	((address\$4 near11 (portion\$4 position\$4 section\$4)) and (first near8 (portion\$4 position\$4 section\$4 part)) and (second	USPAT; EPO; JPO; DERWENT;	2003/07/27 14:27
,		near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4 near9	IBM_TDB	
		<pre>(portion\$4 position\$4 section\$4 part)) and ((sav\$4 stor\$4) near8 address\$4)) and ((ip mac) near5 address\$4)</pre>		
_	49	(((dns (domain adj name adj (server system))) and ((stor\$4 adj6 forward) store-and-forward\$4)) and (rout\$4 near7 table)) and (rout\$4 near6 table) and	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/07/27 14:28
_	6	(group\$4 same address\$4) and (dns (domain adj name adj (server system))) ((mac (media adj access adj control))	USPAT;	2003/07/27
		near10 address\$4) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) and ((stor\$4 adj5 forward\$4) same (table database))	EPO; JPO; DERWENT; IBM_TDB	15:04
_	73	(address\$4 near11 wildcard\$4) and (replac\$4 substitu\$6 exchang\$5)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/07/27 15:04
_	12	<pre>(address\$4 nearl1 (wildcard\$4 (wild adj card\$4))) same (replac\$4 substitu\$6 exchang\$5)</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/07/27 15:04
-	3	<pre>(address\$4 near11 (wildcard\$4 (wild adj card\$4))) same (replac\$4 substitu\$6 exchang\$5) and (wildcard\$4 (wild adj card\$4)) and ((ip mac) near5 address\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:04
-	5	and ((stor\$4 sav\$4) near11 address\$5) (address\$4 near11 (wildcard\$4 (wild adj card\$4))) same (replac\$4 substitu\$6 exchang\$5) and (wildcard\$4 (wild adj	USPAT; EPO; JPO; DERWENT;	2003/07/27 15:04
-	69	card\$4)) and ((ip mac) near5 address\$4) ((dns (domain adj name adj (server system))) and ((stor\$4 adj6 forward) store-and-forward\$4)) and (rout\$4 near7 table)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2003/07/27 15:05
-	29	<pre>((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:06
-	20	<pre>(management adj informaiotn adj base))) ((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) and ((nam\$4) same (stor\$4 sav\$4) same</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:06
-	53	table) ((left right first second) same (portion\$4 position\$4 section\$4 part) same (replac\$4 substitu\$6 exchang\$5 (in adj place)) near7 (ip mac address\$4)) and	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:08
-	44	((ip mac) near5 address\$4) ((address\$4 near11 (portion\$4 position\$4 section\$4)) and (right near8 (portion\$4 position\$4 part)) and (left	USPAT; EPO; JPO; DERWENT;	2003/07/27 15:08
		near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4)) and ((ip mac) near5 address\$4)	IBM_TDB	
_	90	multicast\$4 and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 exchang\$5 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation	USPAT	2004/02/10 15:53
	·	<pre>operation character prefix\$4 rang\$4) same (left right first second))</pre>		·

-	10	2	USPAT	2004/02/10
		wild\$4 wild-card concat\$4 concatenation		15:55
		operation character prefix\$4 rang\$4))	1	
-	1	fuzzycast\$4 and (address\$4 same (alter\$6	USPAT	2004/02/10
		wild\$4 wild-card concat\$4 concatenation		15:58
		operation character prefix\$4 rang\$4))		
-	279	1 / -11 / /	USPAT	2004/02/10
		(alter\$6 wild\$4 wild-card concat\$4		16:21
		concatenation operation character		
		prefix\$4 rang\$4))		
-	142	1 ,	USPAT	2004/02/10
	L	(concat\$4 concatenation prefix\$4 rang\$4))		16:21